



Commercial Traffic | No Glue Install | Durable | 100% Recyclable

What is Exalt?



Innovative

Luxury vinyl tile at its best, Exalt combines the best of functionality and design into the perfect flooring solution for all your commercial needs. With its no-glue, easy installation, Exalt is ideal for use in retail stores, hospitality, health care, corporate offices, and schools.



Responsible

Exalt is designed and manufactured with its environmental footprint in mind. 100% recyclable at the end of its lifecycle, which means less waste and a better future for the next generation.



Durable

Exalt is built to last for decades with minimal maintenance. With a commercial-grade 20 mil wear layer, Exalt has superior durability and will provide exceptional appearance retention even under heavy foot traffic and use. Exalt is moisture and stain resistant, making it perfect for even your toughest spaces.

The Leader in Vinyl Flooring.



We have tried our very best to accurately represent product colors and textures. However, due to the nature of printed materials, the color of actual products may vary slightly. To see actual product color, please request a sample at www.exaltfloors.com.



We have tried our very best to accurately represent product colors and textures. However, due to the nature of printed materials, the color of actual products may vary slightly. To see actual product color, please request a sample at www.exaltfloors.com.

Product Features + Benefits

Eco-Friendly

100% Recyclable after use

- › Less materials and waste involved
- › Non-toxic installation (no adhesive VOC's)
- › Less time and energy used for installation and maintenance

Performance

- › Virgin Vinyl
 - No heavy metals or contaminants, which creates more stability
- › Moisture Solution
 - Waterproof vinyl construction makes Exalt ideal for heavy moisture areas
- › Advanced hold strength for no buckling or seam separation
- › Easy maintenance—NO polish, NO buffing required
- › Superior stain and wear resistance
- › Urethane wear layer with aluminum oxide cured by ultra-violet (UV) process
- › Extraordinary realism integrating the latest advances in imaging, texturing and finishing
- › Quiet underfoot—absorbs and reduces walking noise

Easy Installation

- › Easy floating installation
- › Patented Unilin click-together system; not adhered to the floor
- › Product is ready for use upon install—NO waxing required
- › Can be safely installed directly over almost any hard surface, including Vinyl Asbestos Tile (VAT)

Financial Benefits

- › Save up to 20% - 50% on installation
 - Fast and easy installation—Floating floor installs over most existing surfaces
- › Avoid abatement and moisture remediation concerns
 - No adhesive required
 - Reduced floor prep time
- › Faster installation means less workplace downtime for greater productivity

Warranty

- › 12 Year Limited Commercial Warranty

Product Specifications

Physical Construction

Construction:	Luxury Vinyl Plank with Micro Bevel Edges
Wear Layer:	Urethane UV-cured, Embossed Antique Texture
Plank Size:	5.9" x 36.8" (150.0 mm x 936.0 mm)
Wear Layer Thickness:	0.5 mm (20 mil)
Overall Thickness:	5.0 mm
Pieces per Carton:	10
Coverage per Piece:	1.507 sq. ft. (0.14 m2)
Coverage per Carton:	15.07 sq. ft. (1.40 m2)
Weight per Piece:	2.75 lb (1.25 kg)
Weight per Carton:	29.3 lb (13.3 kg)
Cartons per Pallet:	72
Recycled Content:	100% Recyclable after use
Static Load Limit:	1,500 psi

Testing

Stain & Chemical Stability (ASTM F-925, EN 423):	Passes
Fire Resistance (ASTM E-648-06, EN 13501-1):	Passes, Class 1 (Bf1-S1)
Light Fastness (ASTM F-1515, ISO 105-B02):	Passes, >= 6
N.B.S. Smoke Chamber (ASTM E-662):	Passes, <= 450
Impact Resistance (ASTM F-1265):	Passes
Dimensional Stability (ASTM F-1700, EN 434):	Passes, 0.013 inch/ft
Residual Indentation (ASTM F-970, EN 433):	Passes
Slip Resistance (EN 13893):	Class DS / ADA Compliant
Noise ICC Sound Rating (ASTM 492):	56 over 6" concrete with ceiling plenum

Product Color Options



GOLDEN OAK: 05-26



* Quick Ship Color:
GREY PINE: 31-14



* Quick Ship Color:
CHERRY OAK: 10-1



ESPRESSO OAK : 01-6



* Quick Ship Color:
NATURAL OAK: 05-7



BARNYARD WHITE ASH: 05-22

* Quick Ship: 1-2 week lead time.

Designers and Architects: Contact us directly for additional color options, and custom specification options.



Exalt Flooring

1-800-355-6380

Contact@exaltfloors.com

www.exaltfloors.com



We have tried our very best to accurately represent product colors and textures. However, due to the nature of printed materials, the color of actual products may vary slightly. To see actual product color, please request a sample at www.exaltfloors.com.